

UK Quality Assurance Notification CML 22UKQAN15581 Issue 3

- 1 Equipment or Protective Systems or Components intended for use in Potentially Explosive Atmospheres UK SI 2016 No. 1107 (as amended) – Schedule 3A, Part 2 and Part 5
- 2 The scope of this notification extends to equipment, protective systems or components:

**Terminal Boxes and terminals,
cable attachments (plugs,
sockets, glands and fittings),
Instrumentation, Measurement,
Telemetry and
Communications and Control
Equipment**

Protection methods:

**Intrinsically Safe Ex ia
Dust Protected Ex t
Optical Radiation Ex op is
Increased Safety Ex e**

All current certificates issued by Eurofins CML within the above scope and other Approved Body certificates acknowledged by Eurofins CML.

- 3 Applicant **Controlled Systems Limited**
- 4 Manufacturer **Controlled Systems Limited**
- 5 Address Ryder Close Cadley Hill,
Swadincote,
Derbyshire DE11 9EU, UK
- 6 Eurofins E&E CML Limited, Newport Business Park, New Port Road, Ellesmere Port CH65 4LZ, UK, Approved Body Number 2503 in accordance with Regulation 42 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), notifies to the Applicant that the Manufacturer has a quality system which complies with Schedule 3A, Part 2 and Part 5 of the Regulations.
- 7 This Notification is based upon audit report R18036/00
- 8 This Notification may be withdrawn if the manufacturer does not satisfy the requirements of the Regulation of UK Statutory Instruments or surveillance.
- 9 This Notification is valid until the date shown below unless withdrawn. The results of periodical re-assessment form part of this Notification.
- 10 According to Regulation 41, the UKCA mark shall be followed by the identification number 2503 to identify the Approved Body responsible for conducting the production control assessment.
- 11 Notification summary

Initial issue 0 Issue date 13-09-2022

Current issue 3 Issue date 17-12-2024

Expiry 24-12-2027



This Notification shall only be copied
in its entirety and without change

1 of 1



Afsaneh Jafari
Certification Manager